

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20040193652" and applet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 14:54
L2	1	"20040193652" and (first or second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 14:54
S1	1775758	computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 13:55
S2	1636	((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1)and @ad<"20031111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:08
S3	447	S2 and (classifi\$7 or Categoriz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 13:59
S4	63	S2 and ((classifi\$7 or Categoriz\$5) with interface\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:28
S5	2	"20040193652"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 15:04

EAST Search History

S6	104	(databases with ((frequently or often) near5 (updated or accessed))) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:04
S7	104	(databases with ((frequently or often) near5 (updated or accessed))) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:28
S8	32	S7 and "707"/.cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 08:29
S9	1	"20040193652" and (enumeration or main)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:03
S10	0	"20050102610" and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:27
S11	2	"20040193652" and (description or request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:03
S12	1636	((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1)and @ad<"20031111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:07

EAST Search History

S13	63	S12 and ((classifi\$7 or Categoriz\$5) with interface\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 10:21
S14	55	S13 and request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:09
S15	0	"20050102610" and (preference\$1 or authentica\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:27
S16	125	S12 and (preference\$1 and authentica\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:28
S17	8	S13 and (preference\$1 and authentica\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:49
S18	0	"20030084067" and perference\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:50
S19	1	"20030084067" and preference\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:50

EAST Search History

S20	5	"824251".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 14:55
S21	2	"6486895".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 15:08
S22	2	"20040193652" and (computer or medium or readable or apparatus or stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:58
S23	6132	707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:09
S24	1965	707/104.1.ccls. and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:01
S25	42	707/104.1.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:11
S26	103	707/100-200.ccls. and (((generat\$4 or reconfigur\$5 or re?configur\$5 or customiz\$5) near5 interface\$1) with database\$1) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:12

EAST Search History

S27	2	"6404445".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:03
S28	2	"6738077".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:19
S29	1	"20040193652" and (main.or enumeration\$1 or frequent\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:58
S30	1	(main with enumeration\$1 with updat\$3) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:02
S31	0	(main same enumeration\$1 same entit\$3 same updat\$3) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:02
S32	8	(main same enumeration\$1 same entit\$3) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:03
S33	3250	(database with entit\$3) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:03

EAST Search History

S34	2	((database with entit\$3) with updat\$3 with frequent\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:04
S35	8	(entit\$3 with updat\$3 with frequent\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:06
S36	2050	((order\$1 with updat\$3) same address\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:06
S37	46	(customer\$1 same (order\$1 with updat\$3) same address\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:07
S38	1	(customer\$1 same (order\$1 with updat\$3) same address\$2 same frequent\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:08
S39	46	(customer\$1 same (order\$1 with updat\$3) same address\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:16
S40	16	(database same updat\$3 same enumeration\$1) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:24

EAST Search History

S41	760	(updat\$3 with more with frequent\$2) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:44
S42	76	S41 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:24
S43	28	(main with enumeration\$1) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 09:27
S44	2	"20040193652"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 09:27
S45	1	"20040193652" and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 09:48
S46	2	"20040193652" and system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 10:01
S47	2	"6404445".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 10:25

EAST Search History

S48	2	"6763352".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 10:26
S49	2	"6564218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:11
S50	5973267	"6564218".pn. (order\$1 or customer\$1 or address\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:11
S51	1	"6564218".pn. and (order\$1 or customer\$1 or address\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:12
S52	2	"6564218".pn. and (order\$1 or customer\$1 or address\$2 or superset\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:13
S53	75	(customer\$1 and (order\$1 with updat\$3 with frequent\$2)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:37
S54	44	(customer\$1 and (order\$1 with updat\$3 with frequent\$2)) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 11:37

EAST Search History

S55	2	"6404445".pn. and (operating or platform\$1 or independent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:03
S56	607	((description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 (dependent\$2 or indepent\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:12
S57	143	S56 and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:10
S58	0	((description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 (indepent\$2))) and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:12
S59	0	((description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 (indepent\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:12
S60	0	((description\$1 or instruction\$1 or method\$1 or code\$1) with (platform\$1 near4 indepent\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:13
S61	1108	((description\$1 or instruction\$1 or method\$1 or code\$1) with (platform?independent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:14

EAST Search History

S62	337	((description\$1 or instruction\$1) with (platform?independent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:14
S63	83	S62 and @ad<"20000401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 12:29
S64	2	"6404445".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 13:13
S65	0	"6404445".pn. and (log?in or (log near2 in) or authentic\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 13:15
S66	0	"5898136".pn. and (log?in or (log near2 in) or authentic\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 13:16
S67	2	"5898136".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 13:16
S68	2	"5818936".pn. and (log?in or (log near2 in) or authentic\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/20 14:52